

TOSHIBA

e-STUDIO6526AC

e-STUDIO6527AC

e-STUDIO7527AC

Colour Multifunctional Printers

- Toshiba's high-end multifunctional A3 colour systems with an outstanding high volume document output at a speed of up to 75 pages per minute
- Large and fully customisable user interface for enhanced efficiency and tailored workflows
- Easy integration into modern business environments, including cloud and mobile printing



**TOGETHER
INFORMATION**

Specifications

General

Print & Copy Speed	Colour A4: 65/65/75 ppm A3: 30/30/37 ppm	Monochrome A4: 65/75/85 ppm A3: 30/37/40 ppm
Warm-up Time	~ 15 seconds from low power mode	
Paper Size & Weight	Cassettes: A5R-320 x 460 mm, 60-300 g/m ² Tandem-LCF ¹⁾ : A4, 60-300 g/m ² Bypass: 100 x 148 mm-330 x 483 mm, 60-300 g/m ² Banner paper (up to 313.4 x 1,200 mm, 90-163 g/m ²)	
Paper Capacity	Cassettes: 4x 540 sheets or Cassettes: 2x 540 sheets plus Tandem-LCF ¹⁾ : 1x 2,320 sheets Bypass: 1x 120 sheets, Max. 8,020 sheets	
Automatic Duplex	A5R-A3, 320 x 450 mm-print only, 320 x 460 mm-print only, 305 x 457 mm and other formats, 60-256 g/m ²	
Controller Type	Toshiba e-BRIDGE Next	
Control Panel	26 cm (10.1") Multi-Touch Colour Panel	
Memory	Security SSD 128 GB ²⁾ ; 6 GB RAM	
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN (IEEE802.11a/b/g/n/ac incl. WI-FI direct)/Bluetooth*	
Dimension & Weight	955 x 698 x 1,227 mm (W x D x H), ~ 209 kg	
Initial Consumables	Drums, Developers, Waste Toner Box	

Print

Resolution	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
Page Description Language	PCL5e, PCL5c, PCL6 (PCLXL), PDF and PS3, (JPEG)
Supported Systems	Windows 11/10, Windows Server 2022/2019/2016, Mac OS 10.12-14, Linux/Unix, Citrix, SAP, AS-400
Network Protocols	TCP/IP (IPv4/IPv6), Ether Talk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, TWIN Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint®
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Tandem Printing, E-Mail direct printing

Scan

Resolution	Max. 600 x 600 dpi
Scan Speed	Dual Scan Document Feeder: up to 240 ppm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A-1b, PDF/A-2b, Searchable PDF* (and other formats like DOCX, XLSX)*
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution (Output)	600 x 600 dpi, 5 bit; equiv. 2,400 x 600 dpi with smoothing (monochrome only)
First Copy Output Time	Colour: ~ 6.4/6.4/5.4 seconds Monochrome: ~ 5.2/4.5/4.1 seconds
Zoom	Platen: 25-400%, DSDF: 25-200 %
Copy Modes	Text/Photo, Text, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax*

Communication	Super G3, G3 - (opt. 2 nd line) Internet Fax T.37
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 11/10, Windows Server 2022/2019/2016
Incoming Fax Routing	To shared folders (SMB, FTP), E-Mail, e-Filing

System & Security

Device Management	Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), over 1,2 million one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader*, Private Print, Standard data encryption with Toshiba Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec* protocols, IEEE802.1x support, Scan to Secure PDF, Pull-printing*

Options

EXTERNAL LARGE CAPACITY FEEDER	2,500-sheet capacity, A4, 60-300 g/m ²
EXTERNAL LARGE CAPACITY FEEDER	2,000-sheet capacity, A4, 60-300 g/m ² (in combination with 2500-sheet feeder)
MULTI-STAPLE FINISHER	2 trays, 3,250-sheet capacity, 65-sheet multi-position stapling, A5R-A3, 60-105 g/m ² (stapling mode)
SADDLE STITCH FINISHER	2 trays, 3,250-sheet capacity, Saddle-stitched booklets of up to 60 pages, 65-sheet multi-position stapling, A5R-A3, 60-105 g/m ² (stapling mode)
HOLE PUNCH UNIT	Available in 2 holes (E), 4 holes (F), 4 holes (S)

HARD DISK DRIVE 320 GB⁽²⁾ (FIPS 140-2 STANDARD)

SECURITY SOLID STATE DRIVES 512 GB⁽²⁾

FAX BOARD

USB HUB

ACCESSORY TRAY

PANEL TEN-KEY

WIRELESS LAN/BLUETOOTH MODULE (incl. Wi-Fi Direct)

e-BRIDGE ID-GATE

ACCESSIBLE ARM

IPsec ENABLER (LICENCE)

MULTI STATION PRINT ENABLER (LICENCE)

META SCAN ENABLER (LICENCE)

UNICODE FONT ENABLER (LICENCE)

HARD COPY SECURITY KIT (LICENCE)



* Optional.

¹⁾ e-STUDIO6526AC LCF version only.

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 70 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

